



Finasol MF

DESCRIPTION

Finasol solvents are designed for cleaning of a very wide range of materials. Their properties permit eliminating greases and removing insoluble components, without affecting the quality of the items cleaned.

Finasol MF is a multipurpose emulsifiable degreaser

APPLICATIONS

- Cleaning of vehicle engines and chassis.
- Cleaning of cement or tiled floors in workshops, industrial plants, car parks, garages, and service stations.
- Cleaning of lubrication bays and pits.
- Cleaning of oil-fired boiler house floors and petroleum product storage areas.
- Removing of tar stains of body work.
- Cleaning of machine tools and machine parts.
- Removing of anti-rust protection coatings.
- Cleaning of brushes and tools used for paintings.

PERFORMANCES

- **Finasol MF** is a multipurpose cleaning product. It eliminates greases, oils, carbon waste and all organic and inorganic pollutions.

ADVANTAGES

- **Finasol MF** seeps easily and quickly through the stains coating facilitating the complete dissolving of oily pollutions and the detachment of insoluble components.

This lubricant used as recommended and for the application for which it has been designed does not present any particular risk. A material safety data sheet conforming to the regulations in use in the E.C. can be obtained from your local commercial advisor or downloaded at ms-sds.totalenergies.com

TYPICAL CHARACTERISTICS

| Typical characteristics | Methods | Units | Finasol MF |
|---------------------------|-------------|-------------------|--------------|
| Color | Visual | - | Light yellow |
| Density at 20 °C | ASTM D 4052 | kg/m ³ | 809 |
| Flash point | ASTM D 93 | °C | 66 |
| Cloud point | ASTM D 2500 | °C | - 10 |
| Pour point | ASTM D 97 | °C | < - 40 |
| Refraction index at 25 °C | ISO 5661 | - | 1.4150 |

The characteristics shown in this table are typical values given for illustrative purposes.

This lubricant used as recommended and for the application for which it has been designed does not present any particular risk. A material safety data sheet conforming to the regulations in use in the E.C. can be obtained from your local commercial advisor or downloaded at ms-sds.totalenergies.com